

# VACCINATIONS FOR ALL

## Pediatric Pfizer Doses

- + First and Second Doses
- + Additional Primary Series Doses for Those Who Are Immunocompromised
- + Booster Doses for People Ages 5 and Older
- + One-Third the Strength of the Adult Dose

## Available at any of our hospitals

With COVID-19, it is more important than ever to protect yourself and your children from getting sick.

COVID-19 vaccines are safe and highly effective in reducing risk of illness, hospitalization and even death.

Your children can get a COVID-19 vaccine with no out-of-pocket cost to you.

Learn more about which vaccine is right for you. Scan the QR code or call **1-844-NYC-4NYC** (1-844-692-4692).

Learn more  
about COVID-19  
Vaccines



Learn more  
about Flu  
Vaccine



# Who Should Get Vaccinated for COVID-19?



## COVID-19 Vaccine

Most individuals are now eligible to get a COVID-19 vaccine:

- + People aged 5 to 11 can get two pediatric doses (one-third strength) of Pfizer-BioNTech
- + People aged 12 and older can get two doses of the Pfizer-BioNTech vaccine

## Additional Primary Series Doses of Pfizer COVID-19 Vaccine

Additional primary series doses are available to people who got their second dose of COVID-19 vaccine at least 28 days ago and have a weakened immune system due to a condition or treatment. These may include:

- + Active treatment for cancer
- + Organ transplant and medicine to reduce the strength of the immune system
- + Stem cell transplant within the last 2 years
- + Moderate or severe primary immunodeficiency
- + Advanced or untreated HIV
- + Active treatment with a high dose of corticosteroids or other drugs that moderately or severely weaken the immune system

You must be 5 or older to get the Pfizer additional primary series dose. Additional primary series doses are not recommended for most people with other medical conditions such as diabetes, heart or lung disease.

## COVID-19 Booster Dose - Pfizer and Moderna Vaccine Recipients

Everyone 5 years or older should get a booster shot at least 5 months after receiving the second dose of their primary Pfizer COVID-19 vaccination series.

People ages 5-17 who previously got the Pfizer primary series more than 5 months ago are eligible for the Pfizer booster shot only.

People who are 5 or older and immunocompromised should get a booster shot at least 3 months after receiving the additional dose of their primary Pfizer COVID-19 vaccination series for a total of 4 doses.

Hospitals in the NYC Health + Hospitals system offer Pfizer and J&J vaccines. NYC Health + Hospitals/Gotham Health sites offer Moderna vaccine and Pfizer vaccine for children 5-11 years of age. For a full list of locations, visit our website: [nychealthandhospitals.org](https://nychealthandhospitals.org).